ANALYTICA CHIMICA ACTA

International journal devoted to all branches of analytical chemistry

(Abstracted, Indexed in: Anal. Abstr.; Biol. Abstr.; Chem. Abstr.; Curr. Contents Phys. Chem. Earth Sci.; Life Sci.; Index Med.; Mass Spectrom. Bull.; Sci. Citation Index; Excerpta Med.)

VOL. 198	CONTENTS	JULY 15, 1987
Spectrometric Methods		
Optical sensors: an ion-selective o	ptrode for potassium	
O. S. Wolfbeis and B. P. H. Sch	haffar (Graz, Austria)	
The total fluorescence of human u		
	nn and O. S. Wolfbeis (Graz, Austria)	13
	n of total cyanide in waste waters in a flow-injection system with	
gas-diffusion separation and pr		
	, Peoples' Republic of China)	
	flow injection analysis with soluble or immobilized aldehyde dehyd	
	shend (Hull, Great Britain)	37
	he spectrophotometric determination of iodide	
	nd (Hull, Great Britain)	4!
	nium/lumogallion system in the presence of non-ionic surfactants	_
	M. de la Guardia Cirugeda (Valencia, Spain)	53
	and riboflavin 5'-phosphate by a catalytic photokinetic method	-
	ano and V. Tomás (Murcia, Spain)	63
	ation in spark-source mass spectrometry	
	Adams (Wilrijk, Belgium)	
	prrected atomic absorption spectrometry caused by Zeeman splitting	or
molecules	- (Orla Namuru)	0.4
	r (Oslo, Norway)	
	du cuivre en spectrométrie d'absorption atomique sans flamme. Part	ie 1:
étude de l'influence des princip		87
	est, France)	
	catif des phénomènes observés pour une eau de mer	.16 2.
	est, France)	103
	bood by electrothermal atomic absorption spectrometry with I'vov pla	
and matrix modification	by electrothermal atomic absorption spectrometry with 1 vov pie	2001111
	. O. Jeradino, G. M. Navarrete and P. C. Maturana (Concepción, Chil	le) 113
G. G. Brann, S. W. Fivonia, W.	. Or sortalino, G. III. Hararioto and T. Or material (Gornospolon, Gill	
General Analytical Chemistry		
	s in aerosols from the remote marine atmosphere	
	n (Woods Hole, MA, U.S.A.)	125
Determination of amorphous silica	a and total silica in plant materials	
P. F. Reay and W. D. Bennett (Palmerston North, New Zealand)	145
Confluent streams in flow injection		
E. A. G. Zagatto, B. F. Reis, M.	. Martinelli, F. J. Krug, H. Bergamin F. and M. F. Gine (São Paulo, E	Brazil) 153
Comparison of immobilized enzym	ne reactors for flow-injection systems	
	C. E. Miller (Oberlin, OH, U.S.A.)	
Simultaneous multi-element analys	sis for trace metals in sea water by inductively-coupled plasma/atomi	ic
	tch preconcentration on a chelating resin	
	araguchi (Tokyo, Japan)	173
	rahydrocannabinol metabolite in urine by high-performance liquid	
chromatography and photodiod		
D. Bourguin and R. Brenneisen	(Berne Switzerland)	183

(Contents continued)

Comparison of ligands for the recovery of trace aluminium(III) by anion-exchange	
C. Sarzanini, M. C. Gennaro, V. Porta and E. Mentasti (Turin, Italy)	19
Electrometric Methods Decreased ascorbate sensitivity with nafion-coated carbon fibre electrodes in combination with copper(II) ions	
for the electrochemical determination of electroactive substances in vivo	
P. Hulthe, B. Hulthe, K. Johannessen and J. Engel (Gothenburg, Sweden)	19
Computerized conductometric determination of stability constants of complexes of crown ethers with alkali	
metal salts and with neutral molecules in polar solvents	
D. Ph. Zollinger, E. Bulten, A. Christenhusz, M. Bos and W. E. van der Linden (Enschede, The Netherlands)	20
Mathematical treatment of concentration profiles and anodic current of amperometric multilayer enzyme	
electrodes	
T. Schulmeister (Berlin-Buch, G.D.R.)	22
Reductive stripping chronopotentiometry for selenium in biological materials with a flow system	22
H. Eskilsson and C. Haraldsson (Gothenburg, Sweden)	23
polarography. Determination of iron and titanium in Portland cements	
L. Hernández, A. Zapardiel, J. A. Pérez-López and E. Bermejo (Madrid, Spain)	239
The influence of uncompensated solution resistance on the determination of standard electrochemical rate	-
constants by cyclic voltammetry, and some comparisons with a.c. voltammetry	
D. F. Milner and M. J. Weaver (West Lafayette, IN, U.S.A.)	245
Dynamic polarization of lipid bilayers as a special case in the electrochemistry of liquid/liquid interfaces	
C. J. Bender and H. T. Tien (East Lansing, MI, U.S.A.)	259
Short Communications	
Spectrophotometric determination of copper(III) with carbon disulfide, a secondary amine and Triton X-100	
K. Hayashi, Y. Sasaki, S. Tagashira and K. Hirata (Yamaguchi-shi, Japan)	271
An improved nephelometric method for the determination of small amounts of thiosulfate in aqueous samples	
R. Aruga and E. Campi (Turin, Italy)	277
Extraction-spectrofluorimetric determination of cadmium with diethyldithiocarbamate and calcein in	
non-aqueous media	
J. Aznarez, J. Galban, C. Diaz and J. M. Rabadan (Zaragoza, Spain)	281
Enhanced luminescence of the europium/terbium/thenoyltrifluoroacetone/1,10-phenanthroline/surfactant	
system, and its analytical application	
JH. Yang, GY. Zhu and B. Wu (Shandong, Peoples' Republic of China)	287
Spectrophotometric determination of chromium(VI) as dichromate after extraction with the	
pentamethylene-bis(triphenylphosphonium) cation D. Thorburn Burns, D. Chimpalee and P. F. Hagan (Belfast, Northern Ireland)	293
Indirect determination of fluoride in waters with lanthanum alizarin complexone and inductively-coupled	295
plasma emission spectrometry	
A. Miyazaki and K. Bansho (Ibaraki, Japan)	297
Atomic absorption spectrometric determination of trace copper in water by sorption on an ion-exchange	
resin and direct atomization of the resin	
T. Takada and T. Koide (Tokyo, Japan)	303
Determination of lead and nickel in animal bone by microwave-induced plasma atomic emission spectrometry	
with sample introduction by electrothermal vaporization	
N. W. Barnett (Manchester, Great Britain)	309
Synergic extraction of cobalt(II) with mixtures of 4-methyl-N-8-quinolinylbenzene sulphonamide and neutral	
organophosphorus compounds	
J. M. Castresana, M. P. Elizalde (Bilbao, Spain), M. Aguilar (Barcelona, Spain) and M. Cox (Hatfield,	315
Great Britain)	313
M. A. Al-Hajjaji (Makkah Al-Mukarramah, Saudi Arabia)	319
Potentiometric titration of milligram amounts of organic acids with an interfacial voltaic cell for end-point	0.0
detection	
ML. Wen and CY. Wang (Yunnan, Peoples' Republic of China)	325
Book Reviews	329
Author Index	343
	240

